In the claims:

- 1. (Amended) A tissue scaffold implant device, comprising:
- a foam tissue scaffold component having a pore structure effective to facilitate tissue infiltration and growth into the foam tissue scaffold component; and
- a <u>foam tissue scaffold</u> fixation component <u>comprising a foam tissue scaffold</u> <u>support means and anchor means</u>,

wherein the foam tissue scaffold component is fixedly attached to the <u>foam tissue</u> scaffold fixation component via partial encapsulation of the <u>foam tissue scaffold</u> fixation component by the foam tissue scaffold component.

- 2. The device of claim 1 wherein [the fixation component comprises tissue scaffold support means and anchor means and] the foam tissue scaffold component substantially encapsulates the <u>foam</u> tissue scaffold support means.
- 3. The device of claim 1 wherein the foam <u>tissue</u> scaffold component comprises a lyophilized polymer.
- 4. The device of claim 3 wherein the lyophilized polymer is bioabsorbable.
- 5. The device of claim 4 wherein the <u>foam tissue scaffold</u> fixation component comprises a bioabsorbable polymer.
- 6. The device of claim 4 wherein the <u>foam tissue scaffold</u> fixation component comprises a non-bioabsorbable polymer.
- 7. The device of claim 5 wherein the <u>lyophilized</u> bioabsorbable polymer is selected from the group consisting of aliphatic polyesters, poly(amino acids), copoly(ether-esters), polyalkylene oxalates, polyamides, tyrosine-derived polycarbonates, poly(iminocarbonates), polyorthoesters, polyoxaesters, polyamidoesters, polyoxaesters containing amine groups, poly(anhydrides), polyphosphazenes and biopolymers.



- 8. The device of claim 7 wherein the aliphatic polyesters are selected from the group consisting of homopolymers and copolymers of lactide, glycolide, ε-caprolactone, p-dioxanone (1,4-dioxan-2-one), trimethylene carbonate (1,3-dioxan-2-one), alkyl derivatives of trimethylene carbonate, □-valerolactone, □-butyrolactone, □-butyrolactone, ε-decalactone, hydroxybutyrate, hydroxyvalerate, 1,4-dioxepan-2-one, 1,5-dioxepan-2-one, 6,6-dimethyl-1,4-dioxan-2-one, 2,5-diketomorpholine, pivalolactone, □,□-diethylpropiolactone, ethylene carbonate, ethylene oxalate, 3-methyl-1,4-dioxane-2,5-dione, 3,3-diethyl-1,4-dioxan-2,5-dione and 6,8-dioxabicycloctane-7-one.
- 9. The device of claim 8 wherein the aliphatic polyesters are elastomeric.
- 10. The device of claim 7 wherein the <u>lyophilized</u> biopolymers are selected from the group consisting of hyaluronic acid, collagen, recombinant collagen, cellulose, elastin, alginates, chondroitin sulfate, chitosan, chitin, keratin and silk.
- 11. The device of claim 1 wherein the pore structure is open-cell.
- 12. The device of claim 1 wherein the pores have an average diameter of from about 10 to about 1,000 microns.
- 13. The device of claim 2 wherein the <u>foam tissue</u> scaffold support means comprises through-holes.
- 14. The device of claim 1 further comprising a reinforcing component.

Claims 15-22 canceled.